

April 27, 2026

Justin Calhoun  
120Water  
250 South Elm St.  
Zionsville, Indiana 46077

Re: Virginia Department of Health  
Work Order: 772956

Dear Justin Calhoun:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on April 13, 2026. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

The samples were delivered with proper chain of custody documentation and signatures. All sample containers arrived without any visible signs of tampering or breakage. There are no additional comments concerning sample receipt.

Test results for NELAP or ISO 17025 accredited tests are verified to meet the requirements of those standards, with any exceptions noted. The results reported relate only to the items tested and to the sample as received by the laboratory. These results may not be reproduced except as full reports without approval by the laboratory. Copies of GEL's accreditations and certifications can be found on our website at [www.gel.com](http://www.gel.com).

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4705.

Sincerely,

Abigail Martin  
Project Manager

Purchase Order: PO  
Enclosures



## GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

### Certificate of Analysis Report for

120W002 120 Water Inc.

Client SDG: 772956 GEL Work Order: 772956


**The Qualifiers in this report are defined as follows:**

- \* A quality control analyte recovery is outside of specified acceptance criteria
- \*\* Analyte is a Tracer compound
- \*\* Analyte is a surrogate compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the limit as defined in the 'U' qualifier above.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Abigail Martin.



Reviewed by \_\_\_\_\_

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492166  
Sample ID: 772956001  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:44  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1644	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492167  
Sample ID: 772956002  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:45  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1645	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492168  
Sample ID: 772956003  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:46  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead		3.82	2.00	ug/L	1.00	1	JD2	04/24/26	1653	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492169  
Sample ID: 772956004  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:47  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1654	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492170  
Sample ID: 772956005  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:48  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1655	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492171  
Sample ID: 772956006  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:49  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1657	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492172  
Sample ID: 772956007  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:49  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1658	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492173  
Sample ID: 772956008  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:50  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1659	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492174  
Sample ID: 772956009  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:37  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1700	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

## Certificate of Analysis

Company : 120Water  
Address : 250 South Elm St.  
Zionsville, Indiana 46077

Report Date: April 27, 2026

Contact: Justin Calhoun  
Project: **Virginia Department of Health**

Client Sample ID: 492175  
Sample ID: 772956010  
Matrix: Drinking Water (Potable)  
Collect Date: 08-APR-26 07:38  
Receive Date: 13-APR-26  
Collector: Client

Project: 120W00624  
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
<b>Metals Analysis-ICP-MS</b>											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/24/26	1702	2979659	1

*The following Prep Methods were performed:*

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/21/26	0915	2979655

*The following Analytical Methods were performed:*

Method	Description	Analyst Comments
1	EPA 200.8	

# GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

## QC Summary

Report Date: April 27, 2026

Page 1 of 1

**120Water**  
**250 South Elm St.**  
**Zionsville, Indiana**  
**Contact: Justin Calhoun**

**Workorder: 772956**

Parmname	NOM	Sample	Qual	QC	Units	RPD/D%	REC%	Range	Anlst	Date	Time
<b>Metals Analysis - ICPMS</b>											
Batch	2979659										
QC1206439413	772956002	DUP									
Lead	U	ND	U	ND	ug/L	N/A			JD2	04/24/26	16:47
QC1206439409	LCS										
Lead	50.0			48.5	ug/L		97	(85%-115%)		04/24/26	16:29
QC1206439408	MB										
Lead			U	ND	ug/L					04/24/26	16:28
QC1206439414	772956002	MS									
Lead	50.0	U	ND	46.2	ug/L		92.2	(75%-125%)		04/24/26	16:48
QC1206439415	772956002	SDILT									
Lead	U	ND	U	ND	ug/L	N/A		(0%-10%)		04/24/26	16:49

**Notes:**

The Qualifiers in this report are defined as follows:

U U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

\* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

772956

### Chain of Custody

**Chain of Custody (CoC) Instructions:** The CoC is an official record that accounts for your water samples and must be filled out. You can either collect samples with your 120Water account or by using this form. If you collect samples within your 120Water account, simply fill out section 1 and use return to lab shipping label included in kit and drop kit off at post office. If you use this form to collect samples, fill out both sections 1 and 2, make sure to write down the time you collected each sample and then use return to lab shipping label included in kit and drop kit off at post office. Have questions? Call **800.674.7961** or email **sampling@120water.com**

Facility Name: Appalachia Head Start Center  
Facility ID: 12082  
Sample Event ID: 12734  
Account ID: 4394

### SECTION 1 MUST BE COMPLETED (even if you collect samples with your 120Water account)

Sampling Date (MM/DD/YYYY): <u>04/08/2026</u>	Sample Collector's Email: <u>tgentry@kidscentralinc.com</u>
Sample Collector(s) Name (s) (Please Print): <u>Terry Gentry</u>	Sample Collector's Phone: <u>276-674-0514 ext. 114</u>
Sample Collector(s) Signature: <u>Terry Gentry</u>	When was water last used in the building? DATE: <u>04/07/2026</u> TIME: <u>4:00</u> <small>AM PM</small>

Did you collect samples within your 120Water account?  YES  NO, I will use this form

\*\*\*\*\*

### SECTION 2 (NEXT PAGE) MUST BE COMPLETED IF YOU USE THIS FORM TO COLLECT SAMPLES

*If you use this form to collect samples (instead of collecting within the 120Water platform) you must write the time each sample was collected in Section 2.*

#### Lab Use Only

RECEIVED IN LAB BY: <u>Kierra McKinley</u>	DATE: <u>4/13/26</u>	TIME: <u>1400</u>	Matrix: DW-Lead
WORK ORDER:			Analyte: Total Lead
Lab Reporting: Email EDD to <u>results@120water.com</u>			Sample Type: Grab

Section 2 (Starting Here) Must be Completed if you use this Form to Collect Samples - Facility Code: CDC 7650

Sample Code	Fixture Code	Sample Type	Location	Location Description	Fixture Type	Time Sample Collected	AM/PM	Notes
492168	Appy102	Initial	Kitchen, sink for dish washing	Dish sink located in kitchen	Faucet, Cold	7:44	AM	
492169	Appy102	Flush	Kitchen, sink for dish washing	Dish sink located in kitchen	Faucet, Cold	7:45	AM	
492170	Appy103	Initial	Kitchen- hand sink	Sink located in kitchen to wash hands	Faucet, Cold	7:46	AM	
492171	Appy103	Flush	Kitchen- hand sink	Sink located in kitchen to wash hands	Faucet, Cold	7:47	AM	
492172	Appy104	Initial	Bathroom- located on left side	Bathroom sink located on left	Faucet, Cold	7:48	AM	
492173	Appy104	Flush	Bathroom- located on left side	Bathroom sink located on left	Faucet, Cold	7:49	AM	
492174	Appy105	Initial	Bathroom sink- right side	Bathroom sink located in right bathroom	Faucet, Cold	7:49	AM	
492175	Appy105	Flush	Bathroom sink- right side	Bathroom sink located in right bathroom	Faucet, Cold	7:50	AM	
492166	APPYEHS10	Initial	Appy EHS Room	Sink beside door	Faucet, Cold	7:37	AM	
492167	APPYEHS10	Flush	Appy EHS Room	Sink beside door	Faucet, Cold	7:38	AM	



Laboratories LLC

SAMPLE RECEIPT & REVIEW FORM

Client: LDW SDG/AR/COC/Work Order: 772956 GEL PM:

Received By: Erin G Date Received at GEL: 4/13/26

Carrier (Circle Applicable) FedEx Express FedEx Ground UPS Field Services Courier Client Other USPS IR Temp gun # IR2-23 Daily Calibration Performed Y

Tracking Number	Temp (C)	If over 6 °C, check if samples do not require cold preservation (ie radiochem only).	Tracking Number	Temp (C)	If over 6 °C, check if samples do not require cold preservation (ie radiochem only).
<u>1</u>	<u>17</u>	<u>✓</u>			

Suspected Hazard Information Yes No \*If Net Counts > 100cpm on samples not marked "radioactive", contact the Radiation Safety Group for further investigation.

A) Shipped as a DOT Hazardous? ✓ Hazard Class Shipped: UN#: If UN2910, Is the Radioactive Shipment Survey Compliant? Yes No

B) Did the client designate the samples are to be received as radioactive? ✓ COC notation or radioactive stickers on containers equal client designation

C) Did the RSO classify the samples as radioactive? ✓ Maximum Net Counts Observed\* (Observed Counts - Area Background Counts): 0 CPM mR/Hr Classified as: Rad 1 Rad 2 Rad 3

D) Are there any sample hazards to document? ✓ If yes, select Hazards below. PCBs Flammable Foreign Soil RCRA Asbestos Beryllium Corrosive Other:

E) Was a SDS received and reviewed by Lab Safety? ✓ Circle Applicable: See additional Comments below. No additional comments needed after review.

Sample Receipt Criteria	Yes	NA	No	Comments/Qualifiers (Required for Non-Conforming Items)
1 Shipping containers received intact and sealed?	<u>✓</u>			Circle Applicable: Direct client dropoff Seals broken Damaged container Leaking container Other (describe)
2 Chain of custody documents included with shipment?	<u>✓</u>			Circle Applicable: Client contacted and provided COC COC created upon receipt
3 If there are samples requiring cold preservation, did they arrive within (0 < 6 °C)?	<u>✓</u>			Preservation Method: Wet Ice Ice Packs Dry Ice <u>None</u> Other: *all temperatures recorded next to tracking numbers are in Celcius
4 Sample containers intact and sealed?	<u>✓</u>			Circle Applicable: Seals broken Damaged container Leaking container Other (describe)
5 Samples requiring chemical preservation at proper pH?			<u>✓</u>	Preserved per COC request of test Sample IDs and Containers Affected: <u>6288856BP</u> If Preservation added, Lot#: <u>6288856BP</u>
6 Do any samples require Volatile Analysis? (If yes, answer all three additional questions.)			<u>✓</u>	If Yes, are Encoros or Soil Kits present? Yes No (If yes, take to VOA Freezer) Do liquid VOA vials contain acid preservation? Yes No NA (If unknown, select No) Are liquid VOA vials free of headspace? Yes No NA Sample IDs and containers affected:
7 Samples received within holding time?	<u>✓</u>			IDs and tests affected:
8 Sample IDs on COC match IDs on bottles?	<u>✓</u>			IDs and containers affected:
9 Date & time on COC match date & time on bottles?			<u>✓</u>	Circle Applicable: <u>No dates on containers</u> <u>No times on containers</u> COC missing info Other (describe)
10 Number of containers received match number indicated on COC?	<u>✓</u>			Circle Applicable: No container count on COC Missing Container (provide details) Other (describe)
11 Are sample containers identifiable as GEL provided by use of GEL labels?			<u>✓</u>	
12 COC form is properly signed in relinquished/received sections?	<u>✓</u>			Circle Applicable: Not relinquished Other (describe)

Comments:

PM (or PMA) review: Initials km Date 4/13/26

Continuation Form Required when selected

**Metals**  
**Technical Case Narrative**  
**120 Water Inc.**  
**SDG #: 772956**

**Product: Determination of Metals by ICP-MS**

**Analytical Method:** EPA 200.8

**Analytical Procedure:** GL-MA-E-014 REV# 37

**Analytical Batch:** 2979659

**Preparation Method:** EPA 200.2

**Preparation Procedure:** GL-MA-E-016 REV# 20

**Preparation Batch:** 2979655

The following samples were analyzed using the above methods and analytical procedure(s).

<b><u>GEL Sample ID#</u></b>	<b><u>Client Sample Identification</u></b>
772956001	492166
772956002	492167
772956003	492168
772956004	492169
772956005	492170
772956006	492171
772956007	492172
772956008	492173
772956009	492174
772956010	492175
1206439408	Method Blank (MB) <b>ICP-MS Batch 2979659</b>
1206439409	Laboratory Control Sample (LCS)
1206439415	772956002(492167L) Serial Dilution (SD)
1206439413	772956002(492167D) Sample Duplicate (DUP)
1206439414	772956002(492167S) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

**Data Summary:**

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

**Calibration Information**

**ICSA/ICSAB Statement**

For the ICP-MS analysis, the ICSA solution contains analyte concentrations which are verified trace impurities indigenous to the purchased standard.

**Miscellaneous Information**

**Additional Comments**

Turbidity measurement was recorded as less than 1 NTU, indicating that digestion was not required per method specifications. As such, digestion was not performed. All relevant data has been documented within the preparation batch record to support analysis

**Certification Statement**

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

**List of current GEL Certifications as of 27 April 2026**

<b>State</b>	<b>Certification</b>
Alabama	42200
Alaska	17-018
Alaska Drinking Water	SC00012
Arkansas	88-00651
CLIA	42D0904046
California	2940
Colorado	SC00012
Connecticut	PH-0169
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	525-24-281-19660
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC00012
Idaho	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky SDWA	KY90129
Kentucky Wastewater	KY90129
Louisiana Drinking Water	LA024
Louisiana NELAP	03046 (AI33904)
Maine	2025022
Maryland	270
Massachusetts	M-SC012
Massachusetts PFAS Approval	Letter
Michigan	9976
Mississippi	SC00012
Nebraska	NE-OS-26-13
Nevada	NV-C24-00175
New Hampshire NELAP	205424
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
North Dakota	R-158
Oklahoma	2026-139
Pennsylvania NELAP	68-00485
Puerto Rico	SC00012
S. Carolina Radiochem	10120002
Sanitation Districts of LA	9255651
South Carolina Chemistry	10120001
Tennessee	TN 02934
Texas NELAP	T104704235
Utah NELAP	SC000122026-50
Vermont	VT87156
Virginia NELAP	460202
Washington	C780