

April 17, 2026

Justin Calhoun
120Water
250 South Elm St.
Zionsville, Indiana 46077

Re: Virginia Department of Health
Work Order: 772049

Dear Justin Calhoun:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the enclosed analytical results for the sample(s) we received on April 09, 2026. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

The samples were delivered with proper chain of custody documentation and signatures. All sample containers arrived without any visible signs of tampering or breakage. There are no additional comments concerning sample receipt.

Test results for NELAP or ISO 17025 accredited tests are verified to meet the requirements of those standards, with any exceptions noted. The results reported relate only to the items tested and to the sample as received by the laboratory. These results may not be reproduced except as full reports without approval by the laboratory. Copies of GEL's accreditations and certifications can be found on our website at www.gel.com.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4705.

Sincerely,

Abigail Martin
Project Manager

Purchase Order: PO
Enclosures



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis Report for

120W002 120 Water Inc.

Client SDG: 772049 GEL Work Order: 772049


The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a Tracer compound
- ** Analyte is a surrogate compound
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the Certificate of Analysis.

The designation ND, if present, appears in the result column when the analyte concentration is not detected above the limit as defined in the 'U' qualifier above.

This data report has been prepared and reviewed in accordance with GEL Laboratories LLC standard operating procedures. Please direct any questions to your Project Manager, Abigail Martin.



Reviewed by _____

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499596
Sample ID: 772049001
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:53
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1927	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499597
Sample ID: 772049002
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:54
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1928	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499598
Sample ID: 772049003
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:55
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1930	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499599
Sample ID: 772049004
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:56
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1937	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499600
Sample ID: 772049005
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:56
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1938	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499601
Sample ID: 772049006
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:57
Receive Date: 09-APR-26
Collector: Client

Project: 120W00624
Client ID: 120W002

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1940	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499602 Project: 120W00624
Sample ID: 772049007 Client ID: 120W002
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:57
Receive Date: 09-APR-26
Collector: Client

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1941	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Company : 120Water
Address : 250 South Elm St.
Zionsville, Indiana 46077

Report Date: April 17, 2026

Contact: Justin Calhoun
Project: **Virginia Department of Health**

Client Sample ID: 499603 Project: 120W00624
Sample ID: 772049008 Client ID: 120W002
Matrix: Drinking Water (Potable)
Collect Date: 01-APR-26 07:58
Receive Date: 09-APR-26
Collector: Client

Parameter	Qualifier	Result	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Metals Analysis-ICP-MS											
<i>Lead, Total "As Received"</i>											
Lead	<	2.00	2.00	ug/L	1.00	1	JD2	04/15/26	1942	2976425	1

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 200.2	ICP-MS 200.2 PREP	ES3	04/13/26	1000	2976424

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	EPA 200.8	

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: April 17, 2026

Page 1 of 1

120Water
250 South Elm St.
Zionsville, Indiana
Contact: Justin Calhoun

Workorder: 772049

Parmname	NOM	Sample	Qual	QC	Units	RPD/D%	REC%	Range	Anlst	Date	Time
Metals Analysis - ICPMS											
Batch	2976425										
QC1206433970	772049003	DUP									
Lead	U	ND	U	ND	ug/L	N/A			JD2	04/15/26	19:31
QC1206433966	LCS										
Lead	50.0			51.5	ug/L		103	(85%-115%)		04/15/26	19:11
QC1206433965	MB										
Lead			U	ND	ug/L					04/15/26	19:09
QC1206433971	772049003	MS									
Lead	50.0	U	ND	50.9	ug/L		102	(75%-125%)		04/15/26	19:32
QC1206433972	772049003	SDILT									
Lead	U	ND	U	ND	ug/L	N/A		(0%-10%)		04/15/26	19:33

Notes:

The Qualifiers in this report are defined as follows:

U U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.

^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.

For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.

772049

Chain of Custody

Chain of Custody (CoC) Instructions: The CoC is an official record that accounts for your water samples and must be filled out. You can either collect samples with your 120Water account or by using this form. If you collect samples within your 120Water account, simply fill out section 1 and use return to lab shipping label included in kit and drop kit off at post office. If you use this form to collect samples, fill out both sections 1 and 2, make sure to write down the time you collected each sample and then use return to lab shipping label included in kit and drop kit off at post office. Have questions? Call **800.674.7961** or email **sampling@120water.com**

Facility Name: Parker D Mumms Center for Early Learning
Facility ID: 12085
Sample Event ID: 13915
Account ID: 4394

SECTION 1 MUST BE COMPLETED (even if you collect samples with your 120Water account)

Sampling Date (MM/DD/YYYY): 04/01/2024	Sample Collector's Email: tgentry@kidscentralinc.com
Sample Collector(s) Name (s) (Please Print): Terry Gentry	Sample Collector's Phone: 276-679-0514 ext. 114
Sample Collector(s) Signature: <i>Terry Gentry</i>	When was water last used in the building? DATE: 3-31-26 TIME: 4:00 ^{AM} _{PM}

Did you collect samples within your 120Water account? YES NO, I will use this form

SECTION 2 (NEXT PAGE) MUST BE COMPLETED IF YOU USE THIS FORM TO COLLECT SAMPLES

If you use this form to collect samples (instead of collecting within the 120Water platform) you must write the time each sample was collected in Section 2.

Lab Use Only

RECEIVED IN LAB BY: <i>Mchelle Stemer</i>	DATE: 4/9/26	TIME:	Matrix: DW-Lead
WORK ORDER:			Analyte: Total Lead
Lab Reporting: Email EDD to results@120water.com			Sample Type: Grab

Section 2 (Starting Here) Must be Completed if you use this Form to Collect Samples - Facility Code: CDC 1109

Sample Code	Fixture Code	Sample Type	Location	Location Description	Fixture Type	Time Sample Collected	AM/PM	Notes
499596	Parker1E HS101	Initial	Classroom sink in Parker EHS 1 classroom	Classroom sink	Faucet, Cold	7:53	AM	
499597	Parker1E HS101	Flush	Classroom sink in Parker EHS 1 classroom	Classroom sink	Faucet, Cold	7:54	AM	
499600	Parker1EH	Initial	Bathroom accessible by childr	Bathroom sink EHS 1 side	Faucet, Cold	7:55	AM	
499601	Parker1EH	Flush	Bathroom accessible by childr	Bathroom sink EHS 1 side	Faucet, Cold	7:56	AM	
499598	Parker2EH	Initial	Classroom sink located in Park	classroom sink	Faucet, Cold	7:56	AM	
499599	Parker2EH	Flush	Classroom sink located in Parker EHS 2 classroom	classroom sink	Faucet, Cold	7:57	AM	
499602	Parker2EH	Initial	Child accessbile bathroom on Parker EHS 2 side	Bathroom on EHS 2 side	Faucet, Cold	7:57	AM	
499603	Parker2EH	Flush	Child accessbile bathroom on Parker EHS 2 side	Bathroom on EHS 2 side	Faucet, Cold	7:58	AM	



Laboratories LLC

SAMPLE RECEIPT & REVIEW FORM

Client: ZOW SDG/AR/COC/Work Order: T72049 GEL PM:

Received By: MLS Date Received at GEL: 4-08-26

Carrier (Circle Applicable) FedEx Express FedEx Ground UPS Field Services Courier Client Other USPS IR Temp gun # IR1-25 Daily Calibration Performed Y/N

Table with 4 columns: Tracking Number, Temp (C), If over 6 °C, check if samples do not require cold preservation (to radionuclides only), Tracking Number, Temp (C), If over 6 °C, check if samples do not require cold preservation (to radionuclides only). Row 1: 19, checkmark.

Suspected Hazard Information section with Yes/No columns and questions A) through E) regarding hazardous materials, SDS, and sample hazards.

Sample Receipt Criteria table with columns: Sample Receipt Criteria, Yes, NA, No, Comments/Qualifiers (Required for Non-Conforming Items). Rows 1-12 detailing shipping, documentation, preservation, and labeling.

Comments section for additional notes.

PM (or PMA) review: Initials [Signature] Date 4/13/26

Continuation Form Required when selected

Metals
Technical Case Narrative
120 Water Inc.
SDG #: 772049

Product: Determination of Metals by ICP-MS

Analytical Method: EPA 200.8

Analytical Procedure: GL-MA-E-014 REV# 37

Analytical Batch: 2976425

Preparation Method: EPA 200.2

Preparation Procedure: GL-MA-E-016 REV# 20

Preparation Batch: 2976424

The following samples were analyzed using the above methods and analytical procedure(s).

<u>GEL Sample ID#</u>	<u>Client Sample Identification</u>
772049001	499596
772049002	499597
772049003	499598
772049004	499599
772049005	499600
772049006	499601
772049007	499602
772049008	499603
1206433965	Method Blank (MB) ICP-MS Batch 2976425
1206433966	Laboratory Control Sample (LCS)
1206433972	772049003(499598L) Serial Dilution (SD)
1206433970	772049003(499598D) Sample Duplicate (DUP)
1206433971	772049003(499598S) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

Data Summary:

All sample data provided in this report met the acceptance criteria specified in the analytical methods and procedures for initial calibration, continuing calibration, instrument controls and process controls where applicable, with the following exceptions.

Calibration Information

ICSA/ICSAB Statement

For the ICP-MS analysis, the ICSA solution contains analyte concentrations which are verified trace impurities indigenous to the purchased standard.

Miscellaneous Information

Additional Comments

Turbidity measurement was recorded as less than 1 NTU, indicating that digestion was not required per method specifications. As such, digestion was not performed. All relevant data has been documented within the preparation batch record to support analysis

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

List of current GEL Certifications as of 17 April 2026

State	Certification
Alabama	42200
Alaska	17-018
Alaska Drinking Water	SC00012
Arkansas	88-00651
CLIA	42D0904046
California	2940
Colorado	SC00012
Connecticut	PH-0169
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	525-24-281-19660
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC00012
Idaho	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky SDWA	KY90129
Kentucky Wastewater	KY90129
Louisiana Drinking Water	LA024
Louisiana NELAP	03046 (AI33904)
Maine	2025022
Maryland	270
Massachusetts	M-SC012
Massachusetts PFAS Approval	Letter
Michigan	9976
Mississippi	SC00012
Nebraska	NE-OS-26-13
Nevada	NV-C24-00175
New Hampshire NELAP	205424
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
North Dakota	R-158
Oklahoma	2026-139
Pennsylvania NELAP	68-00485
Puerto Rico	SC00012
S. Carolina Radiochem	10120002
Sanitation Districts of LA	9255651
South Carolina Chemistry	10120001
Tennessee	TN 02934
Texas NELAP	T104704235
Utah NELAP	SC000122026-50
Vermont	VT87156
Virginia NELAP	460202
Washington	C780